

PHP Version 5.4.12



System	Linux pybox 2.6.32-5-686 #1 SMP Sun Sep 23 09:49:36 UTC 2012 i686
Build Date	Feb 23 2013 20:48:07
Configure Command	'./configure' '--prefix=/home/toto/php' '--with-apxs2=/home/toto/apache/bin/apxs' '--disable-cgi' '--with-mysql=/home/toto/mysql' '--with-mysqli=mysqli' '--enable-pdo' '--with-pdo-mysql=mysqli' '--with-libxml-dir=/home/toto/lib/libxml2' '--with-openssl=/home/toto/lib/openssl' '--with-zlib=/home/toto/lib/zlib' '--with-pcre-regex=/home/toto/lib/pcre' '--with-sqlite3' '--with-gd' '--with-png-dir=/home/toto/lib/png' '--with-jpeg-dir=/home/toto/lib/jpeg' '--with-ldap' '--with-icu-dir=/home/toto/lib/icu' '--with-curl=/home/toto/lib/curl' '--enable-soap' '--enable-sockets' '--enable-ftp' '--enable-bcmath' '--enable-intl' '--enable-mbstring' '--enable-zip'
Server API	Apache 2.0 Handler
Virtual Directory Support	enabled
Configuration File (php.ini) Path	/home/toto/php/lib
Loaded Configuration File	/home/toto/php/lib/php.ini
Scan this dir for additional .ini files	(none)
Additional .ini files parsed	(none)
PHP API	20100412
PHP Extension	20100525
Zend Extension	220100525
Zend Extension Build	API220100525,TS
PHP Extension Build	API20100525,TS
Debug Build	no
Thread Safety	enabled
Zend Signal Handling	disabled
Zend Memory Manager	enabled
Zend Multibyte Support	provided by mbstring
IPv6 Support	enabled
DTrace Support	disabled
Registered PHP Streams	https, ftps, compress.zlib, php, file, glob, data, http, ftp, zip, phar
Registered Stream Socket Transports	tcp, udp, unix, udg, ssl, sslv3, sslv2, tls
Registered Stream Filters	zlib.*, convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk

This program makes use of the Zend Scripting Language Engine:
 Zend Engine v2.4.0, Copyright (c) 1998-2013 Zend Technologies



PHP Credits

Configuration

apache2handler

Apache Version	Apache/2.4.3 (Unix) PHP/5.4.12
Apache API Version	20120211
Server Administrator	you@example.com
Hostname:Port	localhost:0
User/Group	toto(1001)/1001
Max Requests	Per Child: 0 - Keep Alive: on - Max Per Connection: 100
Timeouts	Connection: 60 - Keep-Alive: 5
Virtual Server	No
Server Root	/home/toto/apache
Loaded Modules	core mod_so http_core mod_authn_file mod_authn_core mod_authz_host mod_authz_groupfile mod_authz_user mod_authz_core mod_access_compat mod_auth_basic mod_reqtimeout mod_filter mod_mime mod_log_config mod_env mod_headers mod_setenvif mod_version event mod_unixd mod_status mod_autoindex mod_dir mod_alias mod_php5

Directive	Local Value	Master Value
engine	1	1
last_modified	0	0
xbithack	0	0

Apache Environment

Variable	Value
HTTP_HOST	192.168.1.3:50080
HTTP_USER_AGENT	Mozilla/5.0 (X11; Ubuntu; Linux i686; rv:19.0) Gecko/20100101 Firefox/19.0
HTTP_ACCEPT	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
HTTP_ACCEPT_LANGUAGE	en-US,en;q=0.5
HTTP_ACCEPT_ENCODING	gzip, deflate
HTTP_CONNECTION	keep-alive
PATH	/home/toto/php/bin:/home/toto/apache/bin:/home/toto/bin:/home/toto/mysql/bin:/home/toto/httpd/bin:/usr/local/bin:/usr/bin:/bin:/usr/local/games:/usr/games
LD_LIBRARY_PATH	/home/toto/apache/lib
SERVER_SIGNATURE	<i>no value</i>
SERVER_SOFTWARE	Apache/2.4.3 (Unix) PHP/5.4.12
SERVER_NAME	192.168.1.3
SERVER_ADDR	192.168.1.3
SERVER_PORT	50080
REMOTE_ADDR	192.168.1.4
DOCUMENT_ROOT	/home/toto/apache/htdocs
REQUEST_SCHEME	http
CONTEXT_PREFIX	<i>no value</i>
CONTEXT_DOCUMENT_ROOT	/home/toto/apache/htdocs
SERVER_ADMIN	you@example.com
SCRIPT_FILENAME	/home/toto/apache/htdocs/index.php
REMOTE_PORT	32968
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	<i>no value</i>
REQUEST_URI	/

SCRIPT_NAME	/index.php
-------------	------------

HTTP Headers Information

HTTP Request Headers	
HTTP Request	GET / HTTP/1.1
Host	192.168.1.3:50080
User-Agent	Mozilla/5.0 (X11; Ubuntu; Linux i686; rv:19.0) Gecko/20100101 Firefox/19.0
Accept	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Language	en-US,en;q=0.5
Accept-Encoding	gzip, deflate
Connection	keep-alive
HTTP Response Headers	
X-Powered-By	PHP/5.4.12

apc

APC Support	enabled
Version	3.1.13
APC Debugging	Disabled
MMAP Support	Enabled
MMAP File Mask	<i>no value</i>
Locking type	pthread read/write Locks
Serialization Support	php
Revision	\$Revision: 327136 \$
Build Date	Feb 23 2013 11:52:39

Directive	Local Value	Master Value
apc.cache_by_default	On	On
apc.canonicalize	On	On
apc.coredump_unmap	Off	Off
apc.enable_cli	Off	Off
apc.enabled	On	On
apc.file_md5	Off	Off
apc.file_update_protection	2	2
apc.filters	<i>no value</i>	<i>no value</i>
apc.gc_ttl	3600	3600
apc.include_once_override	Off	Off
apc.lazy_classes	Off	Off
apc.lazy_functions	Off	Off
apc.max_file_size	1M	1M
apc.mmap_file_mask	<i>no value</i>	<i>no value</i>
apc.num_files_hint	1000	1000
apc.preload_path	<i>no value</i>	<i>no value</i>
apc.report_autofilter	Off	Off
apc.rfc1867	Off	Off
apc.rfc1867_freq	0	0
apc.rfc1867_name	APC_UPLOAD_PROGRESS	APC_UPLOAD_PROGRESS
apc.rfc1867_prefix	upload_	upload_
apc.rfc1867_ttl	3600	3600
apc.serializer	default	default
apc.shm_segments	1	1
apc.shm_size	32M	32M
apc.shm_strings_buffer	4M	4M

apc.slam_defense	On	On
apc.stat	On	On
apc.stat_ctime	Off	Off
apc.ttl	0	0
apc.use_request_time	On	On
apc.user_entries_hint	4096	4096
apc.user_ttl	0	0
apc.write_lock	On	On

bcmath

BCMath support	enabled
-----------------------	---------

Directive	Local Value	Master Value
bcmath.scale	0	0

Core

PHP Version	5.4.12
--------------------	--------

Directive	Local Value	Master Value
allow_url_fopen	On	On
allow_url_include	Off	Off
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_globals_jit	On	On
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>
default_mimetype	text/html	text/html
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	Off	Off
display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	Off	Off
enable_post_data_reading	On	On
error_append_string	<i>no value</i>	<i>no value</i>
error_log	<i>no value</i>	<i>no value</i>
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	22527	22527
exit_on_timeout	Off	Off
expose_php	On	On
extension_dir	/home/toto/php/lib /php/extensions/no-debug-zts-20100525	/home/toto/php/lib /php/extensions/no-debug-zts-20100525
file_uploads	On	On
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000

highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	On	On
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	./home/toto/php/lib/php	./home/toto/php/lib/php
log_errors	On	On
log_errors_max_len	1024	1024
mail.add_x_header	On	On
mail.force_extra_parameters	<i>no value</i>	<i>no value</i>
mail.log	<i>no value</i>	<i>no value</i>
max_execution_time	30	30
max_file_uploads	20	20
max_input_nesting_level	64	64
max_input_time	60	60
max_input_vars	1000	1000
memory_limit	128M	128M
open_basedir	<i>no value</i>	<i>no value</i>
output_buffering	4096	4096
output_handler	<i>no value</i>	<i>no value</i>
post_max_size	8M	8M
precision	14	14
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120
register_argc_argv	Off	Off
report_memleaks	On	On
report zend_debug	On	On
request_order	GP	GP
sendmail_from	<i>no value</i>	<i>no value</i>
sendmail_path	-t -i	-t -i
serialize_precision	17	17
short_open_tag	Off	Off
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	Off	Off
unserialize_callback_func	<i>no value</i>	<i>no value</i>
upload_max_filesize	2M	2M
upload_tmp_dir	<i>no value</i>	<i>no value</i>
user_dir	<i>no value</i>	<i>no value</i>
user_ini.cache_ttl	300	300
user_ini.filename	.user.ini	.user.ini
variables_order	GPCS	GPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
zend.detect_unicode	On	On
zend.enable_gc	On	On
zend.multibyte	Off	Off
zend.script_encoding	<i>no value</i>	<i>no value</i>

ctype

ctype functions	enabled
------------------------	---------

curl

cURL support	enabled
cURL Information	7.29.0
Age	3
Features	
AsynchDNS	No
Debug	No
GSS-Negotiate	No
IDN	No
IPv6	Yes
Largefile	Yes
NTLM	Yes
SPNEGO	No
SSL	Yes
SSPI	No
krb4	No
libz	Yes
CharConv	No
Protocols	dict, file, ftp, ftps, gopher, http, https, imap, imaps, ldap, ldaps, pop3, pop3s, rtsp, smtp, smtps, telnet, tftp
Host	i686-pc-linux-gnu
SSL Version	OpenSSL/1.0.1e
ZLib Version	1.2.7

date

date/time support	enabled
"Olson" Timezone Database Version	2012.10
Timezone Database	internal
Default timezone	UTC

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	<i>no value</i>	<i>no value</i>

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.9.0
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

ereg

Regex Library	Bundled library enabled
----------------------	-------------------------

fileinfo

fileinfo support	enabled
version	1.0.5

filter

Input Validation and Filtering	enabled
Revision	\$Id: 2aa8dd57d9c0c655cd45e6e5872bb95fa5ad76cf \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	no value	no value

ftp

FTP support	enabled
--------------------	---------

gd

GD Support	enabled
GD Version	bundled (2.0.34 compatible)
GIF Read Support	enabled
GIF Create Support	enabled
JPEG Support	enabled
libJPEG Version	unknown
PNG Support	enabled
libPNG Version	1.5.14
WBMP Support	enabled
XBM Support	enabled

Directive	Local Value	Master Value
gd.jpeg_ignore_warning	0	0

hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru snefru256 gost adler32 crc32 crc32b fnv132 fnv164 joaat haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

iconv

iconv support	enabled
iconv implementation	glibc
iconv library version	2.11.3

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1

iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

intl

Internationalization support	enabled
version	1.1.0
ICU version	50.1.2
ICU Data version	50.1

Directive	Local Value	Master Value
intl.default_locale	<i>no value</i>	<i>no value</i>
intl.error_level	0	0

json

json support	enabled
json version	1.2.1

ldap

LDAP Support	enabled
RCS Version	\$Id\$
Total Links	0/unlimited
API Version	3001
Vendor Name	OpenLDAP
Vendor Version	20423

Directive	Local Value	Master Value
ldap.max_links	Unlimited	Unlimited

libxml

libXML support	active
libXML Compiled Version	2.9.0
libXML Loaded Version	20900
libXML streams	enabled

mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
HTTP input encoding translation	disabled
libmbfl version	1.3.2

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) backtrack check	On
Multibyte regex (oniguruma) version	4.7.1

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>

mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.http_output_conv_mimetypes	^(text/application/xhtml+xml)	^(text/application/xhtml+xml)
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	5.6.10
MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/home/toto/var/mysql.sock
MYSQL_INCLUDE	-I/home/toto/mysql/include
MYSQL_LIBS	-L/home/toto/mysql/lib -lmysqlclient_r

Directive	Local Value	Master Value
mysql.allow_local_infile	On	On
mysql.allow_persistent	On	On
mysql.connect_timeout	60	60
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	/home/toto/var/mysql.sock	/home/toto/var/mysql.sock
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

mysqli

Mysqli Support	enabled
Client API library version	mysqli 5.0.10 - 20111026 - \$Id: e707c415db32080b3752b232487a435ee0372157 \$
Active Persistent Links	0
Inactive Persistent Links	0
Active Links	0

Directive	Local Value	Master Value
mysqli.allow_local_infile	On	On
mysqli.allow_persistent	On	On
mysqli.default_host	<i>no value</i>	<i>no value</i>
mysqli.default_port	3306	3306
mysqli.default_pw	<i>no value</i>	<i>no value</i>
mysqli.default_socket	/home/toto/var/mysql.sock	/home/toto/var/mysql.sock
mysqli.default_user	<i>no value</i>	<i>no value</i>
mysqli.max_links	Unlimited	Unlimited
mysqli.max_persistent	Unlimited	Unlimited

mysql_i.reconnect	Off	Off
-------------------	-----	-----

mysqlnd

mysqlnd	enabled
Version	mysqlnd 5.0.10 - 20111026 - \$Id: e707c415db32080b3752b232487a435ee0372157 \$
Compression	supported
SSL	supported
Command buffer size	4096
Read buffer size	32768
Read timeout	31536000
Collecting statistics	Yes
Collecting memory statistics	No
Tracing	n/a
Loaded plugins	mysqlnd,example,debug_trace,auth_plugin_mysql_native_password,auth_plugin_mysql_clear_password
API Extensions	mysql_i,pdo_mysql

mysqlnd statistics	
bytes_sent	0
bytes_received	0
packets_sent	0
packets_received	0
protocol_overhead_in	0
protocol_overhead_out	0
bytes_received_ok_packet	0
bytes_received_eof_packet	0
bytes_received_rset_header_packet	0
bytes_received_rset_field_meta_packet	0
bytes_received_rset_row_packet	0
bytes_received_prepare_response_packet	0
bytes_received_change_user_packet	0
packets_sent_command	0
packets_received_ok	0
packets_received_eof	0
packets_received_rset_header	0
packets_received_rset_field_meta	0
packets_received_rset_row	0
packets_received_prepare_response	0
packets_received_change_user	0
result_set_queries	0
non_result_set_queries	0
no_index_used	0
bad_index_used	0
slow_queries	0
buffered_sets	0
unbuffered_sets	0
ps_buffered_sets	0
ps_unbuffered_sets	0
flushed_normal_sets	0

flushed_ps_sets	0
ps_prepared_never_executed	0
ps_prepared_once_executed	0
rows_fetched_from_server_normal	0
rows_fetched_from_server_ps	0
rows_buffered_from_client_normal	0
rows_buffered_from_client_ps	0
rows_fetched_from_client_normal_buffered	0
rows_fetched_from_client_normal_unbuffered	0
rows_fetched_from_client_ps_buffered	0
rows_fetched_from_client_ps_unbuffered	0
rows_fetched_from_client_ps_cursor	0
rows_affected_normal	0
rows_affected_ps	0
rows_skipped_normal	0
rows_skipped_ps	0
copy_on_write_saved	0
copy_on_write_performed	0
command_buffer_too_small	0
connect_success	0
connect_failure	0
connection_reused	0
reconnect	0
pconnect_success	0
active_connections	0
active_persistent_connections	0
explicit_close	0
implicit_close	0
disconnect_close	0
in_middle_of_command_close	0
explicit_free_result	0
implicit_free_result	0
explicit_stmt_close	0
implicit_stmt_close	0
mem_emalloc_count	0
mem_emalloc_amount	0
mem_ecalloc_count	0
mem_ecalloc_amount	0
mem_erealloc_count	0
mem_erealloc_amount	0
mem_efree_count	0
mem_efree_amount	0
mem_malloc_count	0
mem_malloc_amount	0
mem_calloc_count	0
mem_calloc_amount	0
mem_realloc_count	0
mem_realloc_amount	0
mem_free_count	0
mem_free_amount	0
mem_strndup_count	0
mem_strndup_count	0
mem_estndup_count	0
mem_strdup_count	0
proto_text_fetched_null	0

proto_text_fetched_bit	0
proto_text_fetched_tinyint	0
proto_text_fetched_short	0
proto_text_fetched_int24	0
proto_text_fetched_int	0
proto_text_fetched_bigint	0
proto_text_fetched_decimal	0
proto_text_fetched_float	0
proto_text_fetched_double	0
proto_text_fetched_date	0
proto_text_fetched_year	0
proto_text_fetched_time	0
proto_text_fetched_datetime	0
proto_text_fetched_timestamp	0
proto_text_fetched_string	0
proto_text_fetched_blob	0
proto_text_fetched_enum	0
proto_text_fetched_set	0
proto_text_fetched_geometry	0
proto_text_fetched_other	0
proto_binary_fetched_null	0
proto_binary_fetched_bit	0
proto_binary_fetched_tinyint	0
proto_binary_fetched_short	0
proto_binary_fetched_int24	0
proto_binary_fetched_int	0
proto_binary_fetched_bigint	0
proto_binary_fetched_decimal	0
proto_binary_fetched_float	0
proto_binary_fetched_double	0
proto_binary_fetched_date	0
proto_binary_fetched_year	0
proto_binary_fetched_time	0
proto_binary_fetched_datetime	0
proto_binary_fetched_timestamp	0
proto_binary_fetched_string	0
proto_binary_fetched_blob	0
proto_binary_fetched_enum	0
proto_binary_fetched_set	0
proto_binary_fetched_geometry	0
proto_binary_fetched_other	0
init_command_executed_count	0
init_command_failed_count	0
com_quit	0
com_init_db	0
com_query	0
com_field_list	0
com_create_db	0
com_drop_db	0
com_refresh	0
com_shutdown	0
com_statistics	0
com_process_info	0
com_connect	0
com_process_kill	0

com_debug	0
com_ping	0
com_time	0
com_delayed_insert	0
com_change_user	0
com_binlog_dump	0
com_table_dump	0
com_connect_out	0
com_register_slave	0
com_stmt_prepare	0
com_stmt_execute	0
com_stmt_send_long_data	0
com_stmt_close	0
com_stmt_reset	0
com_stmt_set_option	0
com_stmt_fetch	0
com_daemon	0
bytes_received_real_data_normal	0
bytes_received_real_data_ps	0

example statistics	
stat1	0
stat2	0

openssl

OpenSSL support	enabled
OpenSSL Library Version	OpenSSL 1.0.1e 11 Feb 2013
OpenSSL Header Version	OpenSSL 1.0.1e 11 Feb 2013

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	8.32 2012-11-30

Directive	Local Value	Master Value
pcre.backtrack_limit	1000000	1000000
pcre.recursion_limit	100000	100000

PDO

PDO support	enabled
PDO drivers	sqlite, mysql

pdo_mysql

PDO Driver for MySQL	enabled
Client API version	mysqlnd 5.0.10 - 20111026 - \$Id: e707c415db32080b3752b232487a435ee0372157 \$

Directive	Local Value	Master Value
pdo_mysql.default_socket	/home/toto/var/mysql.sock	/home/toto/var/mysql.sock

pdo_sqlite

PDO Driver for SQLite 3.x	enabled
SQLite Library	3.7.7.1

Phar

Phar: PHP Archive support	enabled
Phar EXT version	2.0.1
Phar API version	1.1.1
SVN revision	\$Id: c5042cc34acebcc0926625b57dff03deebbe6472 \$
Phar-based phar archives	enabled
Tar-based phar archives	enabled
ZIP-based phar archives	enabled
gzip compression	enabled
bzip2 compression	disabled (install pecl/bz2)
OpenSSL support	enabled

Phar based on pear/PHP_Archive, original concept by Davey Shafik.
Phar fully realized by Gregory Beaver and Marcus Boerger.
Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

Directive	Local Value	Master Value
phar.cache_list	<i>no value</i>	<i>no value</i>
phar.readonly	On	On
phar.require_hash	On	On

posix

Revision	\$Id: 32db6705f5b617967a546be3114e178a4138c1ca \$
----------	---

Reflection

Reflection	enabled
Version	\$Id: 25ecbad68e5a4573fee43ea24a0591ea179492a \$

session

Session Support	enabled
Registered save handlers	files user
Registered serializer handlers	php php_binary

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	/dev/urandom	/dev/urandom
session.entropy_length	32	32
session.gc_divisor	1000	1000

session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	5	5
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	<i>no value</i>	<i>no value</i>
session.serialize_handler	php	php
session.upload_progress.cleanup	On	On
session.upload_progress.enabled	On	On
session.upload_progress.freq	1%	1%
session.upload_progress.min_freq	1	1
session.upload_progress.name	PHP_SESSION_UPLOAD_PROGRESS	PHP_SESSION_UPLOAD_PROGRESS
session.upload_progress.prefix	upload_progress_	upload_progress_
session.use_cookies	On	On
session.use_only_cookies	On	On
session.use_trans_sid	0	0

SimpleXML

Simplexml support	enabled
Revision	\$Id: 692516840b2d7d6e7aedb0bedded1f53b764a99f \$
Schema support	enabled

soap

Soap Client	enabled
Soap Server	enabled

Directive	Local Value	Master Value
soap.wsdl_cache	1	1
soap.wsdl_cache_dir	/tmp	/tmp
soap.wsdl_cache_enabled	1	1
soap.wsdl_cache_limit	5	5
soap.wsdl_cache_ttl	86400	86400

sockets

Sockets Support	enabled
------------------------	---------

SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, CallbackFilterIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveCallbackFilterIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject,

	SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException
--	---

sqlite3

SQLite3 support	enabled
SQLite3 module version	0.7
SQLite Library	3.7.7.1

Directive	Local Value	Master Value
sqlite3.extension_dir	no value	no value

standard

Dynamic Library Support	enabled
Path to sendmail	-t -i

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	no value	no value
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
from	no value	no value
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=fakeentry	a=href,area=href,frame=src,input=src,form=fakeentry
user_agent	no value	no value

tokenizer

Tokenizer Support	enabled
--------------------------	---------

xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.9.0

xmlreader

XMLReader	enabled
------------------	---------

xmlwriter

XMLWriter	enabled
------------------	---------

zip

Zip	enabled
Extension Version	\$Id: 727cc853ca1ae15d995c3520c5719784ddc1e292 \$
Zip version	1.11.0

Libzip version	0.10.1
-----------------------	--------

zlib

ZLib Support	enabled
Stream Wrapper	compress.zlib://
Stream Filter	zlib.inflate, zlib.deflate
Compiled Version	1.2.7
Linked Version	1.2.7

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name

Environment

Variable	Value
LANGUAGE	fr_BE:fr
USER	toto
SSH_CLIENT	192.168.1.2 52515 22
MAIL	/var/mail/toto
CXXFLAGS	-march=native -O2 -fomit-frame-pointer -pipe
LD_LIBRARY_PATH	/home/toto/apache/lib
SHLVL	1
PHP_AUTOHEADER	/home/toto/lib/autoconf/bin/autoheader
HOME	/home/toto
OLDPWD	/home/toto
SSH_TTY	/dev/pts/1
LOGNAME	toto
_	/home/toto/apache/bin/apachectl
PKG_CONFIG_PATH	/home/toto/lib/imagemagick/lib/pkgconfig
TERM	xterm
PATH	/home/toto/php/bin:/home/toto/apache/bin:/home/toto/bin:/home/toto/mysql/bin:/home/toto/httpd/bin:/usr/local/bin:/usr/bin:/bin:/usr/local/games:/usr/games
CFLAGS	-march=native -O2 -fomit-frame-pointer -pipe
LANG	fr_BE.UTF-8
LS_COLORS	rs=0:di=01;34:ln=01;36:mh=00:pi=40;33:so=01;35:do=01;35:bd=40;33:01:cd=40;33:01:or=40;31:01:su=37;41:sg=30;43:ca=30;41:tw=30;42:ow=34;42:st=37;44:ex=01;32:*tar=01;31:*tgz=01;31:*arj=01;31:*taz=01;31:*lzh=01;31:*lзма=01;31:*tlz=01;31:*txz=01;31:*zip=01;31:*z=01;31:*Z=01;31:*dz=01;31:*gz=01;31:*lz=01;31:*xz=01;31:*bz2=01;31:*bz=01;31:*tbz=01;31:*tbz2=01;31:*tz=01;31:*deb=01;31:*rpm=01;31:*jar=01;31:*rar=01;31:*ace=01;31:*zoo=01;31:*cpio=01;31:*7z=01;31:*rz=01;31:*jpg=01;35:*jpeg=01;35:*gif=01;35:*bmp=01;35:*pbm=01;35:*pgm=01;35:*ppm=01;35:*tga=01;35:*xbm=01;35:*xpm=01;35:*tif=01;35:*tiff=01;35:*png=01;35:*svg=01;35:*svgz=01;35:*mng=01;35:*pcx=01;35:*mov=01;35:*mpg=01;35:*mpeg=01;35:*m2v=01;35:*mkv=01;35:*ogm=01;35:*mp4=01;35:*m4v=01;35:*mp4v=01;35:*vob=01;35:*qt=01;35:*nuv=01;35:*wmv=01;35:*asf=01;35:*rm=01;35:*rmvb=01;35:*flc=01;35:*avi=01;35:*fli=01;35:*flv=01;35:*gl=01;35:*dl=01;35:*xcf=01;35:*xwd=01;35:*yuv=01;35:*cgm=01;35:*emf=01;35:*axv=01;35:*anx=01;35:*ogv=01;35:*ogx=01;35:*aac=00;36:*au=00;36:*flac=00;36:*mid=00;

	36:*.midi=00;36:*.mka=00;36:*.mp3=00;36:*.mpc=00;36:*.ogg=00; 36:*.ra=00;36:*.wav=00;36:*.axa=00;36:*.oga=00;36:*.spx=00; 36:*.xspf=00;36:
SHELL	/bin/bash
PHP_AUTOCONF	/home/toto/lib/autoconf/bin/autoconf
PWD	/home/toto/var/logs
SSH_CONNECTION	192.168.1.2 52515 192.168.1.3 22

PHP Variables

Variable	Value
_SERVER["HTTP_HOST"]	192.168.1.3:50080
_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (X11; Ubuntu; Linux i686; rv:19.0) Gecko/20100101 Firefox/19.0
_SERVER["HTTP_ACCEPT"]	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
_SERVER["HTTP_ACCEPT_LANGUAGE"]	en-US,en;q=0.5
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip, deflate
_SERVER["HTTP_CONNECTION"]	keep-alive
_SERVER["PATH"]	/home/toto/php/bin:/home/toto/apache/bin:/home/toto/bin:/home/toto/mysql/bin:/home/toto/httpd/bin:/usr/local/bin:/usr/bin:/bin:/usr/local/games:/usr/games
_SERVER["LD_LIBRARY_PATH"]	/home/toto/apache/lib
_SERVER["SERVER_SIGNATURE"]	<i>no value</i>
_SERVER["SERVER_SOFTWARE"]	Apache/2.4.3 (Unix) PHP/5.4.12
_SERVER["SERVER_NAME"]	192.168.1.3
_SERVER["SERVER_ADDR"]	192.168.1.3
_SERVER["SERVER_PORT"]	50080
_SERVER["REMOTE_ADDR"]	192.168.1.4
_SERVER["DOCUMENT_ROOT"]	/home/toto/apache/htdocs
_SERVER["REQUEST_SCHEME"]	http
_SERVER["CONTEXT_PREFIX"]	<i>no value</i>
_SERVER["CONTEXT_DOCUMENT_ROOT"]	/home/toto/apache/htdocs
_SERVER["SERVER_ADMIN"]	you@example.com
_SERVER["SCRIPT_FILENAME"]	/home/toto/apache/htdocs/index.php
_SERVER["REMOTE_PORT"]	32968
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	<i>no value</i>
_SERVER["REQUEST_URI"]	/
_SERVER["SCRIPT_NAME"]	/index.php
_SERVER["PHP_SELF"]	/index.php
_SERVER["REQUEST_TIME_FLOAT"]	1361652951.228
_SERVER["REQUEST_TIME"]	1361652951

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.